

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

1995-26 Molybdate 3 Reagent for Silica

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.3. Details of the supplier of the safety data sheet**

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE LTD
Unit 1, Chestnut Road Western Industrial Estate
Dublin 12 - Ireland
Tel. +353 (0)1 4602522 * +353 (0)1 4509337
info-ie@hach.com

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes damage to organs through prolonged or repeated exposure.

2.2. Label elements**Regulation (EC) No. 1272/2008****Hazard components for labelling**

Sulphuric acid ... %

sodium hydrogensulphate

Molybdic acid

Signal word: Danger**Pictograms:****Hazard statements**

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

H372

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P270

Do not eat, drink or smoke when using this product.

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 2 of 8

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7732-18-5	Water			> 60 %
	231-791-2			
7664-93-9	Sulphuric acid ... %			< 15 %
	231-639-5	016-020-00-8		
	Skin Corr. 1A; H314			
10034-88-5	sodium hydrogensulphate			< 20 %
	231-665-7	016-046-00-X		
	Eye Dam. 1; H318			
7782-91-4	Molybdic acid			< 15 %
	231-970-5			
	Eye Irrit. 2, STOT SE 3, STOT RE 1; H319 H335 H372			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 3 of 8

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO₂), Dry chemical

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products formed under fire conditions.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid contact with clothing. Do not breathe vapours/dust. Provide sufficient air exchange and/or exhaust in work rooms.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep at temperatures between 10 and 25 °C.

Advice on storage compatibility

Do not store together with Oxidizing agents, Solvent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m ³	fib/cm ³	Category	Origin
7664-93-9	Sulphuric acid	-	1		TWA (8 h)	
		-	-		STEL (15 min)	

Additional advice on limit values

None known.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 4 of 8

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Eye/face protection

Safety glasses with side-shields

Hand protection

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Ensure adequate ventilation, especially in confined areas.

Breathing apparatus only if aerosol or dust is formed.

Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless, light yellow
Odour:	none

Test method

pH-Value (at 20 °C):	< 0,5
----------------------	-------

Changes in the physical state

Melting point:	not applicable
Initial boiling point and boiling range:	100 °C
Sublimation point:	not applicable
Softening point:	not applicable
Pour point:	not applicable
Flash point:	> 100 °C

Flammability

Solid:	not applicable
Gas:	not applicable

Explosive properties

not applicable

Lower explosion limits:	not applicable
Upper explosion limits:	not applicable
Ignition temperature:	not applicable

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not applicable
----------------------------	----------------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 5 of 8

Oxidizing properties

not applicable

Vapour pressure:

no data available

Vapour pressure:

no data available

Density (at 20 °C):

1,2 - 1,3 g/cm³

Bulk density:

no data available

Water solubility:

soluble

(at 20 °C)

Solubility in other solvents

Acids

Partition coefficient:

no data available

Viscosity / dynamic:

no data available

Viscosity / kinematic:

no data available

Flow time:

no data available

Vapour density:

no data available

Evaporation rate:

no data available

Solvent separation test:

no data available

Solvent content:

no data available

9.2. Other information

Solid content:

not applicable

May be corrosive to metals.

Mild steel : 151,6 mm/a

SECTION 10: Stability and reactivity**10.1. Reactivity**

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

Incompatible with strong bases and oxidizing agents.

10.6. Hazardous decomposition products

Sulphur oxides

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Angaben zur Toxikologie liegen nicht vor.

Acute toxicity

No data is available on the product itself.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 6 of 8

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
10034-88-5	sodium hydrogensulphate			
	oral	LD50 2490 mg/kg	rat	IUCLID

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

H372 - Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

Sulphuric acid ... %: LD50/oral/rat = 2140mg/kg; LC50/inhalation/1h/mouse = 347ppm
sodium hydrogensulphate: LD50/oral/rat = 2828mg/kg

Further information

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
10034-88-5	sodium hydrogensulphate				
	Acute crustacea toxicity	EC50 190 mg/l	48 h	Daphnia magna (Water flea)	IUCLID

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal number of waste from residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 7 of 8

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 3264
14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. ()
14.3. Transport hazard class(es): 8
14.4. Packing group: III

Marine transport (IMDG)

14.1. UN number: UN 3264
14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Sulphuric Acid/Sodium Bisulphate solution)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Marine pollutant: --
EmS: F-A,S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3264
14.2. UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Sulphuric Acid/Sodium Bisulphate solution)
14.3. Transport hazard class(es): 8
14.4. Packing group: III

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D): 1 - slightly water contaminating

Safety Data Sheet

according to Regulation (EC) No 1907/2006

1995-26 Molybdate 3 Reagent for Silica

Revision date: 02.02.2017

Product code: 199526

Page 8 of 8

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

Revision: 2.02.2017

Safety datasheet sections which have been updated: 2, 11

Revision: 1.12.2015

Safety datasheet sections which have been updated: 11

Revision: 10.11.2015

Safety datasheet sections which have been updated: 2, 8

Revision: 26.05.2015

Safety datasheet sections which have been updated: 2

Revision: 18.06.2014

Safety datasheet sections which have been updated: 9.2

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)