

## Safety Data Sheet

---

### 1. Identification of the substance/mixture and of the company/undertaking

**Material Name** : Roto-Glide Green  
**Product Use** : Grease  
**Product Code** : 0017 5606 33  
**Manufacturer/Supplier** : Atlas Copco Airpower nv,  
Boomsesteenweg 957,  
2610 Wilrijk, Belgium  
**Telephone** : Please contact Atlas Copco UK +44 845 601 0001 or the Atlas Copco  
Airpower office in Belgium: +32 3 870 2111 (8am-5pm CET)  
**Email Contact for Safety Data Sheet** : If you have any enquiries about the content of this Safety Data Sheet  
please email [info.lubricants.cts@group.atlascopco.com](mailto:info.lubricants.cts@group.atlascopco.com)  
**Emergency Telephone Number** : Only for medical related issues, please contact medical service of Atlas  
Copco Airpower in Belgium: +32 3 870 2105 (8am-5pm CET)

---

### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**  
Not Classified

**Classification according to EU Directive 67/548/EEC / 1999/45 EC**  
Not Classified

#### 2.2 Label Elements

No Label elements according to Regulation (EC) No 1272/2008

**Contains** : Barium sulphonate, n-phenyl-1-naphthylamine May produce an allergic  
reaction.

#### 2.3 Other Hazards

##### Physical / chemical hazards

No significant hazards.

##### Health hazards

High-pressure injection under skin may cause serious damage. Excessive exposure may result in  
eye, skin, or respiratory irritation.

##### Environmental hazards

No significant hazards. Material does not meet the criteria for PBT or vPvB in accordance with  
REACH Annex XIII.

---

### 3. Composition/information on ingredients

**3.1 Substance** : Not Applicable. This material is regulated as a mixture.

#### 3.2 Mixtures

This material is defined as a mixture.

## Safety Data Sheet

**Reportable hazardous substance(s) complying with the classification criteria and/or with an exposure limit (OEL)**

Name	CAS#	EC#	Registration#	Concentration*	GHS/CLP classification
N-phenyl-1-naphthylamine	90-30-2	201-983-0	NE	0.1 - 1.0%	Acute Tox. 4 H302, Skin Sens. 1 H317, Aquatic Acute 1 H400 (M factor 1), Aquatic Chronic 1 H410 (M factor 1),
Dinonyl naphthalenesulphonic acid, barium salt	25619-56-1	247-132-7	NE	0.1 - 1%	Acute Tox. 4 H302, Acute Tox. 4 H332, Skin Sens. 1 H317, Skin Irrit. 2 H315, Eye Dam. 1 H318

Note - any classification in brackets is a GHS building block that was not adopted by the EU in the CLP regulation (No 1272/2008) and therefore is not applicable in the EU or in non-EU countries which have implemented the CLP regulation and is shown for informational purposes only.

Name	CAS#	EC#	Registration#	Concentration*	DSD Symbols/Risk Phrases
N-phenyl-1-naphthylamine	90-30-2	201-983-0	NE	0.1 - 1.0%	Xn;R22, Xi;R43, N;R50/53
Dinonyl naphthalenesulphonic acid, barium salt	25619-56-1	247-132-7	NE	0.1 - 1%	Xn;R20/22, Xi;R38, Xi;R41, Xi;R43

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Note : See (M)SDS Section 16 for full text of the R-Phrases. See (M)SDS Section 16 for full text of hazard statements.

## 4. First-aid measures

### 4.1 Description of First Aid Measures

#### Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

#### Skin contact

Wash contact areas with soap and water. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.

#### Eye contact

Flush thoroughly with water. If irritation occurs, get medical assistance.

#### Ingestion

First aid is normally not required. Seek medical attention if discomfort occurs.

### 4.2. Most important symptoms and effects, both acute and delayed

Headache, dizziness, drowsiness, nausea and other CNS effects. Local necrosis as evidenced by delayed onset of pain and tissue damage a few hours after injection.

### 4.3. Indication of any immediate medical attention and special treatment needed

The need to have special means for providing specific and immediate medical treatment available in the workplace is not expected.

## Safety Data Sheet

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

##### Suitable Extinguishing Media

: Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish flames.

##### Unsuitable Extinguishing Media

: Straight streams of water

#### 5.2. Special hazards arising from the substance or mixture

##### Hazardous Combustion Products

: Smoke, Fume, Aldehydes, Sulphur oxides, Incomplete combustion products, Oxides of carbon

#### 5.3. Advice for fire fighters

##### Fire Fighting Instructions

: Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

##### Flammability properties

**Flash point [method]** : >200°C (392°F) [EST. FOR OIL, ASTM D-92 (COC)]

##### Upper/Lower Flammable Limits (Approximate volume % in air)

UEL : No data available

LEL : No data available

##### Autoignition Temperature

: No data available

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### Notification procedures

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

##### Protective measures

Avoid contact with spilled material. Warn or evacuate occupants in surrounding and downwind areas if required, due to toxicity or flammability of the material. See Section 5 for fire fighting information. See the Hazard Identification Section for Significant Hazards. See Section 4 for First Aid Advice. See Section 8 for advice on the minimum requirements for personal protective equipment. Additional protective measures may be necessary, depending on the specific circumstances and/or the expert judgment of the emergency responders.

For emergency responders

: Respiratory protection: respiratory protection will be necessary only in special cases, e.g., formation of mists. Half-face or full-face respirator with filter(s) for dust/organic vapor or Self Contained Breathing Apparatus (SCBA) can be used depending on the size of spill and potential level of exposure. If the exposure cannot be completely characterized or an oxygen deficient atmosphere is possible or

## Safety Data Sheet

anticipated, SCBA is recommended. Work gloves that are resistant to hydrocarbons are recommended. Gloves made of polyvinyl acetate (PVA) are not water-resistant and are not suitable for emergency use. Chemical goggles are recommended if splashes or contact with eyes is possible. Small spills: normal antistatic work clothes are usually adequate. Large spills: full body suit of chemical resistant, antistatic material is recommended.

### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

### 6.3. Methods and material for containment and cleaning up

**Land Spill** : Scrape up spilled material with shovels into a suitable container for recycle or disposal.

**Water Spill** : Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Skim from surface

Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.

### 6.4. References to other sections

See Sections 8 and 13.

## 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with skin. Prevent small spills and leakage to avoid slip hazard.

**Static Accumulator** : This material is not a static accumulator.

### 7.2. Conditions for safe storage, including any incompatibilities

Do not store in open or unlabelled containers.

**7.3. Specific end uses** : Section 1 informs about identified end-uses. No industrial or sector specific guidance available.

## 8. Exposure controls/personal protection

### 8.1 Control Parameters

#### Exposure limit values

Exposure limits/standards (Note: Exposure limits are not additive)

Substance Name	Form	Limit/Standard			Note	Source
Dinonyl naphthalenesulphonic acid, barium salt [as Ba]		TWA	0.5 mg/m <sup>3</sup>			UK EH40
Dinonyl naphthalenesulphonic acid, barium salt [as Ba]		TWA	0.5 mg/m <sup>3</sup>			ACGIH

UK EH40 Workplace Exposure Limits. Exposure limits for use with Control of Substances Hazardous to Health Regulations 2002 (as amended)

Note : Information about recommended monitoring procedures can be obtained from the relevant agency(ies)/institute(s)  
: UK Health and Safety Executive (HSE)

## Safety Data Sheet

---

### 8.2 Exposure Controls

#### Engineering controls

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider

- : No special requirements under ordinary conditions of use and with adequate ventilation.

#### Personal protection

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

#### Respiratory Protection

- : If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include
- : No protection is ordinarily required under normal conditions of use and with adequate ventilation.

For high airborne concentrations, use an approved supplied-air respirator, operated in positive pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.

- Hand Protection** : Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include
- : No protection is ordinarily required under normal conditions of use.

- Eye Protection** : If contact is likely, safety glasses with side shields are recommended.

#### Skin and Body Protection

- : Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include
- : No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

#### Specific Hygiene Measures

- : Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

#### Environmental controls

Comply with applicable environmental regulations limiting discharge to air, water and soil. Protect the environment by applying appropriate control measures to prevent or limit emissions.

## Safety Data Sheet

### 9. Physical and chemical properties

**Note** : Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Contact the Supplier for additional information.

#### 9.1 Information on basic physical and chemical properties

**Physical State** : Solid

**Form** : Semi-fluid

**Colour** : Green

**Odour** : Characteristic

**Odour Threshold** : No data available

**pH** : Not technically feasible

**Melting Point** : No data available

**Freezing Point** : No data available

**Initial Boiling Point / and Boiling Range**  
: No data available

**Flash Point [Method]** : >200°C (392°F) [EST. FOR OIL, ASTM D-92 (COC)]

**Evaporation Rate (n-butyl acetate = 1)**  
: No data available

**Flammability (Solid, Gas)**  
: [test method unavailable]

**Upper/Lower Flammable Limits (Approximate volume % in air)**

**UEL** : No data available

**LEL** : No data available

**Vapour Pressure** : < 0.013 kPa (0.1 mm Hg) at 20 °C [Estimated]

**Vapour Density (Air = 1)**  
: No data available

**Relative Density (at 15 °C)**  
: 0.92 [test method unavailable]

**Solubility(ies)** : water Negligible

**Partition coefficient (n-Octanol/Water Partition Coefficient)**  
: No data available

**Autoignition Temperature**  
: No data available

**Decomposition Temperature**  
: No data available

**Viscosity** : 112.75 cSt (112.75 mm<sup>2</sup>/sec) at 40°C [Base oil] [test method unavailable]

**Explosive Properties** : None

**Oxidizing Properties** : None

## Safety Data Sheet

### 9.2. Other information

#### DMSO Extract (mineral oil only), IP-346

Note : < 3 %wt  
: Most physical properties above are for the oil component in the material.

### 10. Stability and reactivity

10.1 **Reactivity** : See sub-sections below.

10.2 **Chemical stability** : Material is stable under normal conditions.

#### 10.3 Possibility of Hazardous Reactions

: Hazardous polymerization will not occur.

10.4 **Conditions to Avoid** : Excessive heat. High energy sources of ignition.

#### 10.5 Incompatible materials

: Strong oxidisers

#### 10.6 Hazardous Decomposition Products

: Material does not decompose at ambient temperatures.

### 11. Toxicological information

#### 11.1 Information on Toxicological effects

Hazard Class	Conclusion / Remarks
<b>Inhalation</b>	
Acute Toxicity: No end point data for material.	Minimally Toxic. Based on assessment of the components.
Irritation: No end point data for material.	Negligible hazard at ambient/normal handling temperatures.
<b>Ingestion</b>	
Acute Toxicity: No end point data for material.	Minimally Toxic. Based on assessment of the components.
<b>Skin</b>	
Acute Toxicity: No end point data for material.	Minimally Toxic. Based on assessment of the components.
Skin Corrosion/Irritation: No end point data for material.	Mildly irritating to skin with prolonged exposure. Based on assessment of the components.
<b>Eye</b>	
Serious Eye Damage/Irritation: No end point data for material.	May cause mild, short-lasting discomfort to eyes. Based on assessment of the components.
<b>Sensitisation</b>	
Respiratory Sensitization: No end point data for material.	Not expected to be a respiratory sensitizer.
Skin Sensitization: No end point data for material.	Not expected to be a skin sensitizer. Based on assessment of the components.

## Safety Data Sheet

<b>Aspiration:</b> Data available.	Not expected to be an aspiration hazard. Based on physico-chemical properties of the material.
<b>Germ Cell Mutagenicity:</b> No end point data for material.	Not expected to be a germ cell mutagen. Based on assessment of the components.
<b>Carcinogenicity:</b> No end point data for material.	Not expected to cause cancer. Based on assessment of the components.
<b>Reproductive Toxicity:</b> No end point data for material.	Not expected to be a reproductive toxicant. Based on assessment of the components.
<b>Lactation:</b> No end point data for material.	Not expected to cause harm to breast-fed children.
<b>Specific Target Organ Toxicity (STOT)</b>	
Single Exposure: No end point data for material.	Not expected to cause organ damage from a single exposure.
Repeated Exposure: No end point data for material.	Not expected to cause organ damage from prolonged or repeated exposure. Based on assessment of the components.

### Toxicity for substances

Name	Acute toxicity
N-PHENYL-1-NAPHTHYLAMINE	Oral Lethality: LD 50 1625 mg/kg (Rat)

### Other information

**For the product itself :** Component concentrations in this formulation would not be expected to cause skin sensitization, based on tests of the components or similar formulations.

### Contains

Base oil severely refined

: Not carcinogenic in animal studies. Representative material passes IP-346, Modified Ames test, and/or other screening tests. Dermal and inhalation studies showed minimal effects; lung non-specific infiltration of immune cells, oil deposition and minimal granuloma formation. Not sensitising in test animals.

## 12. Ecological information

The information given is based on data available for the material, the components of the material, and similar materials.

### 12.1. Toxicity

Material -- Not expected to be harmful to aquatic organisms.

### 12.2. Persistence and degradability

**Biodegradation** : Base oil component -- Expected to be inherently biodegradable

### 12.3. Bioaccumulative potential

Base oil component -- Has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability.

### 12.4. Mobility in soil

Base oil component -- Low solubility and floats and is expected to migrate from water to the land. Expected to partition to sediment and wastewater solids.



## Safety Data Sheet

### 12.5. Persistence, bioaccumulation and toxicity for substance(s)

This product is not, or does not contain, a substance that is a PBT or a vPvB.

### 12.6. Other adverse effects

No adverse effects are expected.

#### Ecological data

##### Ecotoxicity

Test	Duration	Organism Type	Test Results
Aquatic - Chronic Toxicity	21 day(s)	Daphnia magna	NOELR 1 mg/l: data for similar materials

## 13. Disposal considerations

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

### 13.1. Waste treatment methods

Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products.

#### Regulatory disposal information

##### European Waste Code

: 12 01 12\*

Note : These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).

This material is considered as hazardous waste pursuant to Directive 91/689/EEC on hazardous waste, and subject to the provisions of that Directive unless Article 1(5) of that Directive applies.

#### Empty Container Warning Empty Container Warning (where applicable)

: Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

## 14 Transport information

Land (adr/rid) : 14.1-14.6 Not Regulated for Land Transport

#### Inland waterways (adnr/adn)

: 14.1-14.6 Not Regulated for Inland Waterways Transport

Sea (IMDG) : 14.1-14.6 Not Regulated for Sea Transport according to IMDG-Code

## Safety Data Sheet

**Sea (MARPOL 73/78 Convention - Annex II):**

: **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
Not classified according to Annex II

**Air (IATA)**

: **14.1-14.6** Not Regulated for Air Transport

### 15. Regulatory information

**Regulatory status and applicable laws and regulations**

**Complies with the following national/regional chemical inventory requirements**

: DSL, IECSC, TSCA

**Special Cases:**

Inventory	Status
KECI	Restrictions Apply

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Applicable EU Directives and Regulations:**

: 1907/2006 [... on the Registration, Evaluation, Authorisation and Restriction of Chemicals ... and amendments thereto]  
689/2008/EC [...concerning the export and import of dangerous substances and amendments thereto]  
1272/2008 [on classification, labelling and packaging of substances and mixtures.. and amendments thereto]  
Refer to the relevant EU/national regulation for details of any actions or restrictions required by the above Regulation(s)/Directive(s).

#### 15.2. Chemical safety assessment

**Reach information** : A Chemical Safety Assessment has been carried out for one or more substances present in the material.

### 16. Other information

**References** : Sources of information used in preparing this SDS included one or more of the following: results from in house or supplier toxicology studies, CONCAWE Product Dossiers, publications from other trade associations, such as the EU Hydrocarbon Solvents REACH Consortium, U.S. HPV Program Robust Summaries, the EU IUCLID Data Base, U.S. NTP publications, and other sources, as appropriate.

**List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:**

**Acronym** : **Full text**  
N/A : Not applicable  
N/D : Not determined  
NE : Not established  
VOC : Volatile Organic Compound  
AICS : Australian Inventory of Chemical Substances  
AIHA WEEL : American Industrial Hygiene Association Workplace Environmental Exposure Limits

## Safety Data Sheet

ASTM	:	ASTM International, originally known as the American Society for Testing and Materials (ASTM)
DSL	:	Domestic Substance List (Canada)
EINECS	:	European Inventory of Existing Commercial Substances
ELINCS	:	European List of Notified Chemical Substances
ENCS	:	Existing and new Chemical Substances (Japanese inventory)
IECSC	:	Inventory of Existing Chemical Substances in China
KECI	:	Korean Existing Chemicals Inventory
NDSL	:	Non-Domestic Substances List (Canada)
NZIoC	:	New Zealand Inventory of Chemicals
PICCS	:	Philippine Inventory of Chemicals and Chemical Substances
TLV	:	Threshold Limit Value (American Conference of Governmental Industrial Hygienists)
TSCA	:	Toxic Substances Control Act (U.S. inventory)
UVCB	:	Substances of Unknown or Variable composition, Complex reaction products or Biological materials
LC	:	Lethal Concentration
LD	:	Lethal Dose
LL	:	Lethal Loading
EC	:	Effective Concentration
EL	:	Effective Loading
NOEC	:	No Observable Effect Concentration
NOELR	:	No Observable Effect Loading Rate

**Key to the risk codes contained in section 2 and 3 of this document (for information only)**

R20	:	Harmful by inhalation.
R22	:	Harmful if swallowed.
R38	:	Irritating to skin.
R41	:	Risk of serious damage to eyes.
R43	:	May cause sensitisation by skin contact.
R50/53	:	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Key to the h-codes contained in section 3 of this document (for information only)**

Acute Tox. 4 H302	:	Harmful if swallowed; Acute Tox Oral, Cat 4
Skin Irrit. 2 H315	:	Causes skin irritation; Skin Corr/Irritation, Cat 2
Skin Sens. 1 H317	:	May cause allergic skin reaction; Skin Sensitization, Cat 1
Eye Dam. 1 H318	:	Causes serious eye damage; Serious Eye Damage/Irr, Cat 1
Acute Tox. 4 H332	:	Harmful if inhaled; Acute Tox Inh, Cat 4
Aquatic Acute 1 H400	:	Very toxic to aquatic life; Acute Env Tox, Cat 1
Aquatic Chronic 1 H410	:	Very toxic to aquatic life with long lasting effects; Chronic Env Tox, Cat 1

**Effective Date** : 01.06.2015