

## Anthony Aquilina

---

**From:** Trevor Giles Chircop Bray [TrevorGiles.ChircopBray@wsc.com.mt]  
**Sent:** Wednesday, January 07, 2015 3:03 PM  
**To:** Abela Carmen at Enemalta  
**Cc:** Scicluna Sylvana at Enemalta  
**Subject:** RE: Thanks - Status Update - MPS Sewer Discharge Permit

Dear Carmen,

I have checked about this with Ing. Sigmund Galea who was in charge of the CCTV section back then! He told me that they only explored a small fraction of the sewer system and had to halt due to them encountering damaged pipes and also some other cables. This has prevented them to map the sewer network. Thus I conclude that since the discharge points could not be identified, sampling couldn't have taken place. I would also assume that the process by which WSC tried to map the sewers took some time and thus application was left pending.

I understand that this was an obligation for your IPPC permit but as rightly said by yourself, since you will be decommissioning the plant I do not see the need to re-apply!

Best regards,

### Trevor Chircop Bray

Senior Professional Waste Water Quality | IWT | Water Services Corporation | Triq Ħal Qormi, Ħal Luqa LQA 9043  
✉ email: [trevorgiles.chircopbray@wsc.com.mt](mailto:trevorgiles.chircopbray@wsc.com.mt) ☎ Tel: +356 2244 3128 📠 Fax: +356 2244 3125



 Please consider your environmental responsibility before printing this e-mail

---

This message is sent in confidence for the addressee only. The contents are not to be disclosed to anyone other than the addressee. Unauthorised recipients must preserve this confidentiality and should please advise the sender immediately of any error in transmission.

---

**From:** Abela Carmen at Enemalta [mailto:carmen.a.abela@enemalta.com.mt]  
**Sent:** 07 January 2015 14:32  
**To:** Trevor Giles Chircop Bray  
**Cc:** Scicluna Sylvana at Enemalta  
**Subject:** RE: Thanks - Status Update - MPS Sewer Discharge Permit

Dear Trevor,

Thanks a lot for the update. I will present this reply as an update to the comment by MEPA.

Actually about Marsa I have to check because as you know we will be decommissioning Marsa and to do this we have to surrender the IPPC permit.

Given that this was an obligation of the IPPC permit I do not think that we need to apply for the permit now.

However I will discuss this with the managers and all those involved.

Thanks once again.

Best Regards,

Carmen

**Ing. Carmen Abela**

**Professional Executive | Regulatory Affairs | Enemalta plc**

---

T: +356 2298 0836 | M: +356 9945 7182

E: [carmen.a.abela@enemalta.com.mt](mailto:carmen.a.abela@enemalta.com.mt) | Website: [www.enemalta.com.mt](http://www.enemalta.com.mt)

---

**From:** Trevor Giles Chircop Bray [<mailto:TrevorGiles.ChircopBray@wsc.com.mt>]

**Sent:** 06 January 2015 14:53

**To:** Abela Carmen at Enemalta

**Cc:** Scicluna Sylvana at Enemalta; WSC DPU; Anthony Gili; Paula Grech Bonnici

**Subject:** RE: Status Update - MPS Sewer Discharge Permit

**Importance:** High

Dear Carmen,

I wish you and colleagues all the best for the new year! I have checked your file pertaining to the Marsa PS and it seems the process was nearly finalised however there was the requirement to test the effluent from the premises. Apparently there was a problem to identify the discharge points!

I will check internally what happened on this matter however if I advise you that if you wish to apply for a permit to fill in a new form (attached) and send me a list of any chemicals still being used on-site. Moreover we require a statement explaining what operations are still being carried out on-site.

Re Delimara, thanks a lot!

Regards,

**Trevor Chircop Bray**

Senior Professional Waste Water Quality | IWT | Water Services Corporation | Triq Ħal Qormi, Ħal Luqa LQA 9043

✉ email: [trevorgiles.chircopbray@wsc.com.mt](mailto:trevorgiles.chircopbray@wsc.com.mt) ☎ Tel: +356 2244 3128 📠 Fax: +356 2244 3125



 Please consider your environmental responsibility before printing this e-mail

---

This message is sent in confidence for the addressee only. The contents are not to be disclosed to anyone other than the addressee. Unauthorised recipients must preserve this confidentiality and should please advise the sender immediately of any error in transmission.

---

**From:** Abela Carmen at Enemalta [<mailto:carmen.a.abela@enemalta.com.mt>]

**Sent:** 06 January 2015 12:31

**To:** Trevor Giles Chircop Bray

**Cc:** Scicluna Sylvana at Enemalta

**Subject:** Status Update - MPS Sewer Discharge Permit

Dear Trevor,

First of all I would like to wish you a Happy New Year!

Last month we had an inspection at Marsa Power Station by MEPA officers related to the IPPC permit. One question they asked us was whether we had got the Sewer Discharge Permit from Water Services for Marsa Power Station.

I told them that I had written to Ms. Paula Grech Bonnici way back in November 2013 for a status update however I never got a reply.

Trevor since MEPA has put this issue as a pending item in their inspection and for which a follow up is needed kindly can you give us a status update on this.

With regards to the Delimara application I am still waiting for the data sheet and the transfer note from the person who is currently running the canteen at Delimara.

As soon as I get these documents I will forward the application.

Thanks.

Best Regards,

Carmen


**Ing Carmen Abela**

**Professional Executive | Regulatory Affairs | Enemalta plc**

---

**T: +356 2298 0836 | M: +356 9945 7182**

**E: [carmen.a.abela@enemalta.com.mt](mailto:carmen.a.abela@enemalta.com.mt) | Web: [www.enemalta.com.mt](http://www.enemalta.com.mt)**

 **Think before you print! Consider the environment before printing this e-mail.**

This email message (inclusive of any attachment/s thereto) may contain confidential and privileged information. It is intended only for the use of the stated addressee/s and access or reliance on this email message by any other person/s is unauthorised. You are hereby notified that if you are not the stated addressee/s you are strictly prohibited from reading, circulating, copying, distributing, disclosing, forwarding or using in any other manner any information contained in this email message or any attachment/s thereto. If you have received this email message (and/or any attachment/s thereto) in error and/or you are not the intended recipient/s thereof you are hereby kindly asked to destroy this email message (and any attachment/s thereto), as well as all copies thereof, and permanently delete this email message (and any attachment/s thereto) from your computer system/server and to notify us by return email, telephone on 80072224 or fax 22980261

---

Scanned by **MailMarshal** - M86 Security's comprehensive email content security solution. Download a free evaluation of MailMarshal at [www.m86security.com](http://www.m86security.com)

---

---

Scanned by **MailMarshal** - M86 Security's comprehensive email content security solution. Download a free evaluation of MailMarshal at [www.m86security.com](http://www.m86security.com)

---