



Ing. Vincent J. Bartolo

'Bliss' G. Abos street

Iklin IKL 1023

Malta Planning and Environment Authority,  
Environmental Permitting and Industry Unit,  
Hexagon House,  
Spencer Gardens,  
Blata il-Bajda.

Attention Mr. Thomas Paris

9<sup>th</sup> February 2012

Re: IPPC Permit No. IP 0005/06

Dear Mr. Paris,

I refer to my letter of the January 2012 requesting the renewal of Multigas' Integrated Pollution Prevention and Control permit number IP 0005/06 and am pleased to submit document review highlighting the recent upgrades carried on the company's production site. Kindly contact me if any clarifications are necessary.

I thank you for your kind attention.

Yours sincerely,

Vincent J. Bartolo

# **Multigas Limited**

**Industrial and Medical Gases  
Manufacturers**

# **Integrated Pollution Prevention and Control**

## **Acetylene Production Site**

### **Marsa**

**February 2012**

## **Integrated Pollution Prevention and Control Document Review**

Permit: IP 0005/06

Industrial Activity: Acetylene production

Location: Multigas Acetylene Site at Marsa

Document Review:

Site Management Quality: The company Marsa site is now certified to ISO 9001:2008.

Fire Control: A low explosive level fire alarm has been installed on the site.

Building Ventilation: Ventilation grills have been installed in the production rooms and the stores.

Site Safety:

1. A site Risk Management Assessment has been by an Independent Surveying Company.
2. An Emergency Plant Shut Down System has been installed to shut all plants by one emergency shutdown switch.

Carbide Sludge: The Calcium Hydroxide is now being dried in dedicated skips. The full skips are being transported to a site (Bonnici Bros site in the Rabat limits) for use in lean concrete mix. The transport company (Bonavia and Nephews Ltd) is a licensed company for such activity.

Industrial Liquid Waste: The company has set up an industrial liquid waste treatment set-up to treat this waste prior being disposed in the public sewer. Consultations are being held the 'Water Services Corporation' to review the sewer permit to include disposal in industrial liquid waste.



Ing. Vincent Bartolo  
9<sup>th</sup> February 2012