

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 5.0 Revision Date 24.04.2012

Print Date 28.04.2014

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifiers

Product name : Acetic anhydride

Product Number : 320102  
Brand : Sigma-Aldrich  
Index-No. : 607-008-00-9  
CAS-No. : 108-24-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Company Ltd.  
The Old Brickyard  
NEW ROAD, GILLINGHAM  
Dorset  
SP8 4XT  
UNITED KINGDOM

Telephone : +44 (0)1747 833000  
Fax : +44 (0)1747 833313  
E-mail address : [eurtechserv@sial.com](mailto:eurtechserv@sial.com)

#### 1.4 Emergency telephone number

Emergency Phone # : +44 (0)1747 833100

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 3)  
Acute toxicity, Inhalation (Category 4)  
Acute toxicity, Oral (Category 4)  
Skin corrosion (Category 1B)

##### Classification according to EU Directives 67/548/EEC or 1999/45/EC

Flammable. Causes burns. Harmful by inhalation and if swallowed.

#### 2.2 Label elements

##### Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word : Danger

Hazard statement(s)

H226 : Flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H314 : Causes severe skin burns and eye damage.  
H332 : Harmful if inhaled.

Precautionary statement(s)

P280 : Wear protective gloves/ protective clothing/ eye protection/ face

P305 + P351 + P338 protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.  
Supplemental Hazard Statements none

**According to European Directive 67/548/EEC as amended.**

Hazard symbol(s)



R-phrases(s)

R10

Flammable.

R20/22

Harmful by inhalation and if swallowed.

R34

Causes burns.

S-phrases(s)

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39

Wear suitable protective clothing, gloves and eye/face protection.

S45

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

### 2.3 Other hazards

Lachrymator., Reacts violently with water.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Formula :  $C_4H_6O_3$

Molecular Weight : 102.09 g/mol

Component		Concentration
<b>Acetic anhydride</b>		
CAS-No.	108-24-7	-
EC-No.	203-564-8	
Index-No.	607-008-00-9	

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

- 4.3 Indication of any immediate medical attention and special treatment needed**  
no data available

---

**5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

**5.3 Advice for firefighters**

Wear self contained breathing apparatus for fire fighting if necessary.

**5.4 Further information**

Use water spray to cool unopened containers.

---

**6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

**6.4 Reference to other sections**

For disposal see section 13.

---

**7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Reacts violently with water.

**7.3 Specific end uses**

no data available

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Components with workplace control parameters**

Component	CAS-No.	Value	Control parameters	Basis
Acetic anhydride	108-24-7	STEL	2 ppm 10 mg/m <sup>3</sup>	UK. EH40 WEL - Workplace Exposure Limits

		TWA	0.5 ppm 2.5 mg/m <sup>3</sup>	UK. EH40 WEL - Workplace Exposure Limits
--	--	-----	----------------------------------	---

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Immersion protection

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: > 480 min

Material tested: Butoject® (Aldrich Z677647, Size M)

#### Splash protection

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: > 30 min

Material tested: Lapren® (Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

- |                    |                                    |
|--------------------|------------------------------------|
| a) Appearance      | Form: liquid<br>Colour: colourless |
| b) Odour           | pungent                            |
| c) Odour Threshold | no data available                  |
| d) pH              | no data available                  |

e) Melting point/freezing point	Melting point/range: -73 °C
f) Initial boiling point and boiling range	138 - 140 °C
g) Flash point	49 °C - closed cup
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	Upper explosion limit: 10.3 %(V) Lower explosion limit: 2.7 %(V)
k) Vapour pressure	5 hPa at 20 °C 13 hPa at 36 °C 6.69 hPa
l) Vapour density	3.52 - (Air = 1.0)
m) Relative density	1.08 g/mL
n) Water solubility	slightly soluble
o) Partition coefficient: n-octanol/water	no data available
p) Autoignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties	no data available
t) Oxidizing properties	no data available

## 9.2 Other safety information

Surface tension	32.7 mN/m at 20 °C
-----------------	--------------------

---

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Do not allow water to enter container because of violent reaction.  
Heat, flames and sparks.

### 10.5 Incompatible materials

acids, Alcohols, Bases, Oxidizing agents, Reducing agents, Powdered metals

### 10.6 Hazardous decomposition products

Other decomposition products - no data available

---

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - rat - 1,780 mg/kg

LC50 Inhalation - rat - 4 h - 4,200 mg/m<sup>3</sup>

LD50 Dermal - rabbit - 4,320 mg/kg

**Skin corrosion/irritation**

Skin - rabbit - Mild skin irritation

**Serious eye damage/eye irritation**

Eyes - rabbit - Severe eye irritation

**Respiratory or skin sensitization**

no data available

**Germ cell mutagenicity**

no data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**Reproductive toxicity**

no data available

**Specific target organ toxicity - single exposure**

no data available

**Specific target organ toxicity - repeated exposure**

no data available

**Aspiration hazard**

no data available

**Potential health effects**

<b>Inhalation</b>	Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
<b>Ingestion</b>	Harmful if swallowed. Causes burns.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin burns.
<b>Eyes</b>	Causes eye burns.

**Signs and Symptoms of Exposure**

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

**Additional Information**

RTECS: AK1925000

---

**12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

Toxicity to fish LC50 - *Leuciscus idus melanotus* - 265 mg/l - 48 h

Toxicity to daphnia and other aquatic invertebrates EC50 - *Daphnia* - 55 mg/l - 96 h

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

no data available

## 12.6 Other adverse effects

no data available

---

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

#### Contaminated packaging

Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: 1715

IMDG: 1715

IATA: 1715

### 14.2 UN proper shipping name

ADR/RID: ACETIC ANHYDRIDE

IMDG: ACETIC ANHYDRIDE

IATA: Acetic anhydride

### 14.3 Transport hazard class(es)

ADR/RID: 8 (3)

IMDG: 8 (3)

IATA: 8 (3)

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

no data available

---

## 15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

### 15.2 Chemical Safety Assessment

no data available

---

## 16. OTHER INFORMATION

### Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.