

WASTESERV MALTA LTD

RISK ASSESSMENT

ASSESSMENT CARRIED OUT BY: Marco Putzulu Caruana		DESIGNATION: Health & Safety Officer							
SITE: Ta' Zwejra									
ACTIVITY: Use of Electrical Tools			RISK ASSESSMENTS						
HAZARDS IDENTIFIED: Noise. Injury from the tool bit. Fire, electrocution, explosion. Unauthorized use.			HIGH	MED	LOW				
					x				
					x				
				x					
					x				
PERSONS AT RISK:									
EMPLOYEES	x	CONTRACTORS	x	LANDFILL STAFF	x	GENERAL PUBLIC	n.a.	OTHER	n.a.
ACTIONS TAKEN TO MINIMIZE HAZARDS:									
Provision of suitable goggles, gloves & overalls. All electrical equipment tested by an external company. All items are clearly marked TESTED . Provision of suitable hearing protection. Prohibit the use in explosive or flammable atmospheres. Only appointed personnel with sufficient maturity to be allowed to use. Never to leave unattended.									
MONITORING REQUIRED:									
Keep up to date records of all Personal Protective Equipment issued. Keep up to date Test Certificates. Daily checks by appointed personnel. To be used only by appointed personnel.									
INFORMATION TO BE PROVIDED TO EMPLOYEES:									
Any relevant guidance available from Health & Safety. Any relevant training courses/workshops. Copy of instruction manual/s.									
SIGNED:									
NAME: Marco Putzulu Caruana									
DATE: 20-Apr-05									