

## Stack emissions monitoring

<b>Parameter monitored (e.g. NO<sub>x</sub>, SO<sub>2</sub>, dust)</b>	<b>Standard methodology used (EN or ISO standards preferred)</b>	<b>Emission point (e.g. scrubber, boiler)</b>	<b>Detection limit (include units)</b>	<b>Is this company accredited for this test?</b>
O <sub>2</sub>	DIN EN 50379 -1 in combination with DIN EN 50379 -2	Boilers, Generators	0 - 25Vol.% Resolution 0.01Vol%	Yes
NO	DIN EN 50379 -1 in combination with DIN EN 50379 -2	Boilers, Generators	0-3000ppm Resolution 1ppm	Yes
CO	DIN EN 50379 -1 in combination with DIN EN 50379 -2	Boilers, Generators	0-10000pp, Resolution 1ppm	Yes
Temp	DIN EN 50379 -1 in combination with DIN EN 50379 -2	Boilers, Generators	-40-1200 degC Resolution 0.1 degC	Yes
CO <sub>2</sub>	Not applicable	Boilers, Generators	Accuracy +/- 0.2% Vol Resolution 0.1 Vol%	Yes
SO <sub>2</sub>	Not applicable	Boilers, Generators	0-5000 ppm Resolution 1ppm	Yes