

Mrs Nathalie Ellul  
Mr Anthony Aquilina  
Senior Officer (Permitting) | Environment Permitting  
Environment & Resources Authority  
Hexagon House  
Spencer Gardens  
Marsa  
MRS 1441

3<sup>rd</sup> January 2017

**RE: Request to Renew IPPC Permit No. IP 00003/06/E**

Dear Mrs Nathalie Ellul and Mr Anthony Aquilina,

We would like to renew our IPPC Permit n IP 00003/06/E which will expire on 27<sup>th</sup> February 2017. We are aware that we are late for the submission but unfortunately last year we didn't focus our attention on this detail.

We have updated the points in the improvement program and we rescheduled some activities which are still pending, attached, plus we would like to remind you about our suggestion for the introduction of new processes.

There are no relevant changes but we would like to highlight that we intend to change the layout of the Quality Control Laboratory and resting facilities: please find enclosed the authorized plan for the project. In addition we are going to replace the two existing cooling towers (CTW-01 & CTW-02) with a new (one) cooling tower (CTW-04) for the service of the distillation unit: we will send the information after the submission of the relevant documentation to the Health Authority.

Should you require further clarification or information please do not hesitate to contact us.

Best Regards,



**Antonio Sommei**

Plant Manager