

## Notice of Variation

### Environmental Permit

Environment Protection Act (CAP. 549)

Variation number

**EP 1310/21/V2**

Permit number

**EP 1310/21**

Approved document

**EP 1310/21/DOC66A**

The Environment and Resources Authority (hereinafter the Authority; the Competent Authority or ERA) in exercise of its powers under the Environment Protection Act (CAP. 549), hereby authorises:

**Mr Paul Vella obo Ballut Blocks Services Ltd.** (hereinafter “the Permit Holder”)

*Company Registration Number: C 8360*

Of / Whose Registered Office (or principal place of business) is at:

**Ballut Blocks Services Ltd.,**

**Triq Wied Filep,**

**San Pawl tat-Targa,**

**Naxxar, NXR 6713**

For the extraction of rock mineral, backfilling of an excavation void, production of aggregate, recycling and crushing of inert material and stockpiling and sieving of soil at:

**Quarry HM22,**

**Triq Wied Filep,**

**San Pawl tat-Targa,**

**Naxxar, NXR 6713**

This variation is valid until the expiry of the permit EP 1310/21 which is **four (4) years** from the ‘permit granted’ date below. An application for renewal is to be submitted at least **six (6) months** prior to expiry of EP 1310/21.

Signed	Date
Perit Vincent Cassar Chairperson	<u>Permit granted: 14/12/2021</u>
	<u>First variation notice granted: 29/09/2022</u>
	<u>Second variation notice granted: 21/06/2023</u>

**Authorised to sign on behalf of the Competent Authority**

**This page has been deliberately left blank**

## Introductory Note

The enclosed notice of variation shall be read in conjunction to the permit with reference to EP 1310/21 and shall take effect as of the date indicated above.

The Authority is hereby varying the Covering Page, Section 1, Section 3 and Schedule 3B as specified hereunder.

## Covering Page

The Approved Documents shall now also make reference to **EP 1310/21/DOC66A**

## Section 1 – General

Status log in condition 1.1 shall be replaced by the following:

<b>Detail</b>	<b>Date</b>
Application for EP submitted	10 <sup>th</sup> May 2021
Permit Issued <b>(EP 1310/21)</b>	14 <sup>th</sup> December 2021
Variation Issued <b>(EP 1310/21/V1)</b>	29 <sup>th</sup> September 2022
Variation Issued <b>(EP 1310/21/V2)</b>	As per covering page

### **1.3 General Conditions**

Condition 1.3.13 shall be amended as follows:

1.3.13 This permit is issued against a bank guarantee of **€9,100** which shall be renewed annually. This guarantee will have to be maintained throughout the validity of the permit. Following renewal and/or variations to this permit, the Authority may require amendments to the Bank Guarantee.

## Section 2 – Site Infrastructure and Equipment

No changes

## Section 3 – Operational Procedures

### **3.3 Production of Aggregate**

Condition 3.3.1 shall be amended as follows:

- 3.3.1 The crushing of inert waste shall be done through mechanical crushers equipped with dust suppression systems as per approved document **EP 1310/21/DOC66A**.

### **3.5 Emissions to Air**

Amendment to Table 3.5.2 to read as follows:

<b>Table 3.5.2</b>	
<b>Emission reference</b>	<b>Source</b>
Source 1	General Quarry
Source 2	Backfilling area
Source 3	Mobile Crusher (Sandvic QJ341)
Source 4	Mobile Screener (Gursan)
Source 5	Stand-by Generator
Source 6	Mobile Crusher (Maxtrak Powerscreen 1150)
Source 7	Mobile Crusher (Extec I-C13)
Source 8	Mobile Screener (Tesab)
Source 9	Mobile Screener (ERIN)
Source 10	Mobile Screener (Extec Turb)

## Section 4 – Site Management

No changes

## Section 5 – Cessation of Operations

No changes

## Schedule 1 - Complete List of Permitted Waste on Site

No changes

**Schedule 2 – Annual Environment Report and Submissions**

No changes

**Schedule 3A & 3B – Site Map & Site Layout Plan**

**Schedule 3A Site Map** – No changes

**Schedule 3B Site Layout Plan** – to be amended as follows:

Schedule 3B  
Site Layout Plan




Fig. 3.2: Site of installation outlined and shaded in red, showing the extent of area authorised for operations for the carrying out of the operations specified in Condition 1.1.1. The extent of the site boundary is indicative and shall not be used for interpretation purposes.

END OF NOTICE