



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and

for Special Areas of Conservation (SAC)

SITE MT0000021
SITENAME L-Inħawi tal-Imġiebaħ u tal-Miġnuna

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code MT0000021	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

L-Inħawi tal-Imġiebaħ u tal-Miġnuna

1.4 First Compilation date 2004-04	1.5 Update date 2018-05
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Environment and Resources Authority
Address:	Hexagon House, Spencer Hill, Marsa MRS 1441
Email:	natura2000@mepa.org.mt

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	2004-04
Date site confirmed as SCI:	2008-03
Date site designated as SAC:	2016-12
National legal reference of SAC designation:	Government Notice No. 1379 of 2016, in accordance with the Flora, Fauna and Natural Habitats Protection Regulations, 2016 (S.L. 549.44)

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 14.3843 **Latitude** 35.9657

2.2 Area [ha]:

176.46

2.3 Marine area [%]

0.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

MT00	Malta
------	-------

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1240 B			6.36		G	B	B	B	B
1510 B			5.57		G	B	B	B	B
5330 B			51.89		G	B	B	B	B
8210 B			6.42		G	B	B	A	B
92D0 B			0.19		G	B	B	C	B
9320 B			4.32		G	B	A	B	B
9340 B			0.62		G	B	A	C	B
9540 B			0.98		G	C	B	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
P	4102	Anacamptis urvilleana			p				R	P	C	B	A	C
P	4114	Linaria pseudolaxiflora			p				V	P	A	C	A	C
R	6095	Zamenis situla			p				V	P	C	C	B	C

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)

- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

4. SITE DESCRIPTION

[Back to top](#)

4.1 General site character

Habitat class	% Cover
N06	0.03
N18	0.46
N27	12.18
N10	5.76
N17	0.56
N05	7.24
N09	3.16
N26	11.1
N08	49.61
N21	5.33
N23	4.57
Total Habitat Cover	99.99999999999999

Other Site Characteristics

This is one of the largest single sites in the Maltese Islands nominated as a Special Area of Conservation. It is essentially characterised by coralline limestone outcrops surrounded by steppes based upon blue clay, which form clay slopes. The slopes are characterised by a mosaic of two main habitats, calcareous rocky slopes with chasmophytic vegetation and vegetated sea cliffs with endemic *Limonium melitense*, where the chasmophytic vegetation is dominant. The plateaux on the other hand are dominated by another mosaic of two habitat types, pre-desert scrub and Mediterranean salt steppe, where the pre-desert scrub is dominant. A permanent spring is found at Għajn Ħadid. This gives rise to a relatively humid environment owing to the water-retaining abilities of the abundant exposed blue clay in the area. In view of this, a good proportion of the area is also agricultural. Beneath the clay slopes, in the small bay at L-Imġiebaħ is a small sandy beach, Ir-Ramla ta' tal-Imġiebaħ.

4.2 Quality and importance

The area houses a variety of habitat types, including clay slope steppes, labiate garrigues based on *Thymra capitata*, an old forest remnant based upon *Quercus ilex*, cliffs and boulder scree with various endemic species, native *Tamarix africana* stands and temporary Mediterranean ponds. The cliff and boulder scree communities are mostly typified by a community based upon the endemic *Salsola melitensis* (= *Darniella melitensis*); the rare endemic *Matthiola incana* subsp. *melitensis*; the endemic *Limonium melitense*; the Pelago-Maltese endemic *Daucus rupestris*; and *Crucianella rupestris*. These communities, continuous with the neighbouring cliffs and boulders at Ix-Xagħra tal-Kortin, represent the only Maltese (s.str.) station for the endemic *Matthiola*, which is otherwise found exclusively on the island of Gozo. The Maltese populations are visibly different from the Gozitan populations, in being consistently less stocky and succulent, and may require further studies. The Pelago-Maltese endemic *Linaria pseudolaxiflora* (Annex II, Habitats Directive; Appendix I Bern Convention), and the very rare, legally protected, *Lycium intricatum*, were also recorded from this area. The garrigue and pre-desert scrub of the whole area is a mosaic based on various species, including the endemic *Chiladenus bocconeii*, the rare *Cistus creticus*, *Convolvulus oleifolius*, *Erica multiflora*, *Euphorbia melitensis*, *Periploca angustifolia*, the very rare *Putoria calabrica* and *Thymra capitata*. These coastal garrigue and boulder scree communities of the area also house a number of interesting species, including: The Siculo-Maltese endemic beetle, *Danacea nigripalpis*; The rare ant, *Triglyphothrix lanuginosum*; The common Siculo-Maltese endemic, *Ceruella caruanae*; The localised homopteran *Tetralicia ericae*, locally monophagous on *Erica multiflora*; The endemic *Marmorana melitensis*, a thermophilic and xeroreistant species known from crevices and rubble walls; The endemic *Trochoidea spratti*, a karstic species in crevices and depressions in the rocks with various distinctive forms of great scientific interest; The vulnerable *Ochthebius celatus*, known from freshwater pools and slow-flowing waters in the Tal-Mignuna area and the Siculo-Maltese endemic, protected, still unnamed *Vitrea* sp., a species found under stones and in leaf litter under garrigue and maquis habitats, and widespread in this area (and the neighbouring area of Selmun). The area between Tal-Mignuna, Il-Ħarrieqa and Rdum il-Bies, which forms an ecological island composed of coralline limestone separated from the rest of the mainland by clay slopes, represents the only known locality in the Maltese Islands for the very rare endemic *Muticaria macrostoma scalaris*, a karstic taxon limited to a

small area of some 1 km squared. Mediterranean temporary ponds or rock pools also form during the wetter winter months on the limestone-based karstic plateau of the L-Imġiebaħ and Tal-Miġnuna areas. Excluding the 'garrigue', cliffs and agriculture, another important habitat in the area, is characterised by coastal steppes on argillaceous soils, mostly based on *Lygeum spartum*, *Cynara cardunculus* and *Hedysarum coronarium*. These clay slopes support a variety of threatened species, including the rare *Centaurea melitensis*; the very rare *Linum bienne*; the very rare *Medicago rigidula*; the rare *Phalaris truncata* and the very rare *Trifolium lappaceum*, for which this site represents the last known locality. These steppes also support some of the finest native stands of *Tamarix africana*, which species is overall rare in the Maltese Islands. Of particular importance are the clay slopes of Ghajn Ħadid, which also harbour an interesting invertebrate fauna, with species as the following: The rare silverfish *Coletina maggii* and *Proatelura pseudolepisma*; The vulnerable *Hohenwartia hohenwarti*, a subterranean species living in soil and under stones in argillaceous areas/clay slopes; The Siculo-Maltese endemic *Lehmannia melitensis*, a species of indeterminate status, but apparently rare, known from damp microhabitats; The rare carabid beetle, *Parophanus hispanicus*, seemingly particular to the Ghajn Hadid area; and the dipteran *Gymnochiromyia fallax*, known from humid/freshwater habitats. This species has a restricted distribution in the Mediterranean, known only from Malta, Gozo, Tunisia and the Balearic Islands. Another important habitat type is the forest remnant based on Holm Oak, *Quercus ilex*, at Il-Ballut in the limits of L-Imġiebaħ (where 'balluta' is the Maltese vernacular for Holm Oak). This wood is one of the four extant remnants based on this species. The area is composed of closed canopy forest, with limited undergrowth due to the shading abilities of the oaks' crown, but rich in undergrowth species, particularly in fungi, myxomycetes and invertebrates. In fact, the species associated with this remnant are often either confined to this copse, or else extremely limited in distribution. A variety invertebrates are found at Il-Ballut. A few examples include: The rare snail *Lauria cylindrica*, associated with leaf litter in the forest remnant; The endemic slug of indeterminate status *Deroceras golcheri* found under wood, stones and other debris in the wooded area; The rare ant *Leptothorax rabaudi*, a leaf-litter species with a very limited distribution; The vulnerable Italo-Maltese endemic carabid beetle *Reicheia italica*, associated with leaf-litter and/or endogean in the area; and various woodlice, including the very rare endemic *Bathytropa schembrii*, a troglobitic species adapted to live in crevices in mud; the saproxylic *Porcellio obsoletus*, found living under the bark of *Quercus ilex*; and the humicolous *Ctenoscia dorsalis*, found in Holm Oak leaf litter. Maquis assemblages based upon *Ceratonia siliqua* and *Olea europaea* also occupy part of the area at L-Imġiebaħ. The Siculo-Maltese endemic millepede *Glomeris distichella*, found in the oak forest remnant and nearby maquis, is also reported from this area.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
L	E01		b
M	D01.01		i
M	I01		i
L	B01.02		b
M	G01.03		b
L	F03.01		b
L	J01		i
M	E04.01		b
L	G05.01		i
L	G02.08		i
M	K01.01		i

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	Environment and Resources Authority
Address:	
Email:	natura.2000@era.org.mt

6.2 Management Plan(s):

An actual management plan does exist:

<input checked="" type="checkbox"/> Yes	Name: L-Inħawi tal-Imġiebaħ u tal-Miġnuna Link: https://era.org.mt/en/Pages/Natura-2000-Management-Planning.aspx
<input type="checkbox"/> No, but in preparation	
<input type="checkbox"/> No	

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).